
HTTP 1.1 - DIALOGO ENTRE BROWSER CLIENTE Y SERVER PROXY

client.edu.ar -> proxy.edu.ar ETHER Type=0800 (IP), size = 60 bytes
client.edu.ar -> proxy.edu.ar IP D=200.0.253.196 S=200.0.253.244 LEN=44, ID=2055
client.edu.ar -> proxy.edu.ar TCP D=3128 S=1105 Syn Seq=2013284 Len=0 Win=8192

```
0: 0000 c01d a879 00c0 490a 587b 0800 4500    ....y..I.X{..E.  
16: 002c 0807 4000 1f06 c80a c800 fdf4 c800    ,...@.....  
32: fdc4 0451 0c38 001e b864 0000 0000 6002    ...Q.8...d....`.  
48: 2000 2360 0000 0204 05b4 0000                .#`.....
```

proxy.edu.ar -> client.edu.ar ETHER Type=0800 (IP), size = 58 bytes
proxy.edu.ar -> client.edu.ar IP D=200.0.253.244 S=200.0.253.196 LEN=44, ID=17555
proxy.edu.ar -> client.edu.ar TCP D=1105 S=3128 Syn Ack=2013285 Seq=1612009273 Len=0
Win=8760

```
0: 00c0 490a 587b 0000 c01d a879 0800 4500    ..I.X{....y..E.  
16: 002c 4493 4000 ff06 ab7d c800 fdc4 c800    ,.D.@....}.....  
32: fdf4 0c38 0451 6015 4f39 001e b865 6012    ...8.Q`.O9...e`.  
48: 2238 71c8 0000 0204 05b4                "8q.....
```

client.edu.ar -> proxy.edu.ar ETHER Type=0800 (IP), size = 60 bytes
client.edu.ar -> proxy.edu.ar IP D=200.0.253.196 S=200.0.253.244 LEN=40, ID=2311
client.edu.ar -> proxy.edu.ar TCP D=3128 S=1105 Ack=1612009274 Seq=2013285 Len=0
Win=8760

```
0: 0000 c01d a879 00c0 490a 587b 0800 4500    ....y..I.X{..E.  
16: 0028 0907 4000 1f06 c70e c800 fdf4 c800    .(.@.....  
32: fdc4 0451 0c38 001e b865 6015 4f3a 5010    ...Q.8...e`.O:P.  
48: 2238 8985 0000 0000 0000 0000                "8.....
```

client.edu.ar -> proxy.edu.ar ETHER Type=0800 (IP), size = 336 bytes
client.edu.ar -> proxy.edu.ar IP D=200.0.253.196 S=200.0.253.244 LEN=322, ID=2567
client.edu.ar -> proxy.edu.ar TCP D=3128 S=1105 Ack=1612009274 Seq=2013285 Len=282
Win=8760

```
0: 0000 c01d a879 00c0 490a 587b 0800 4500    ....y..I.X{..E.  
16: 0142 0a07 4000 1f06 c4f4 c800 fdf4 c800    .B..@.....  
32: fdc4 0451 0c38 001e b865 6015 4f3a 5018    ...Q.8...e`.O:P.  
48: 2238 ad5b 0000 4745 5420 6874 7470 3a2f    "8.[..GET http:/  
64: 2f77 7777 2e6f 7065 6e32 342e 636f 6d2e    /www.open24.com.  
80: 6172 2f6a 756e 6b2e 6874 6d6c 2048 5454    ar/junk.html HTT  
96: 502f 312e 300d 0a50 726f 7879 2d43 6f6e    P/1.0..Proxy-Con  
112: 6e65 6374 696f 6e3a 204b 6565 702d 416c    nnection: Keep-Al  
128: 6976 650d 0a55 7365 722d 4167 656e 743a    ive..User-Agent:  
144: 204d 6f7a 696c 6c61 2f34 2e30 3420 5b65    Mozilla/4.04 [e  
160: 6e5d 2028 5769 6e39 353b 2049 290d 0a48    n] (Win95; I)..H  
176: 6f73 743a 2077 7777 2e6f 7065 6e32 342e    ost: www.open24.  
192: 636f 6d2e 6172 0d0a 4163 6365 7074 3a20    com.ar..Accept:  
208: 696d 6167 652f 6769 662c 2069 6d61 6765    image/gif, image  
224: 2f78 2d78 6269 746d 6170 2c20 696d 6167    /x-viewport, imag  
240: 652f 6a70 6567 2c20 696d 6167 652f 706a    e/jpeg, image/pj  
256: 7065 672c 2069 6d61 6765 2f70 6e67 2c20    peg, image/png,  
272: 2a2f 2a0d 0a41 6363 6570 742d 4c61 6e67    /**..Accept-Lang  
288: 7561 6765 3a20 656e 0d0a 4163 6365 7074    uage: en..Accept  
304: 2d43 6861 7273 6574 3a20 6973 6f2d 3838    -Charset: iso-88  
320: 3539 2d31 2c2a 2c75 7466 2d38 0d0a 0d0a    59-1,* ,utf-8....
```

proxy.edu.ar -> client.edu.ar ETHER Type=0800 (IP), size = 826 bytes
proxy.edu.ar -> client.edu.ar IP D=200.0.253.244 S=200.0.253.196 LEN=812, ID=17556
proxy.edu.ar -> client.edu.ar TCP D=1105 S=3128 Ack=2013567 Seq=1612009274 Len=772
Win=8760

```
0: 00c0 490a 587b 0000 c01d a879 0800 4500 ..I.X{....y..E.  
16: 032c 4494 4000 ff06 a87c c800 fdc4 c800 .,D.@....|.....  
32: fdf4 0c38 0451 6015 4f3a 001e b97f 5018 ...8.Q`.O:....P.  
48: 2238 c42c 0000 4854 5450 2f31 2e30 2034 "8,..HTTP/1.0 4  
64: 3037 2043 6163 6865 2041 6363 6573 7320 07 Cache Access  
80: 4465 6e69 6564 0d0a 5072 6f78 792d 4175 Denied..Proxy-Au  
96: 7468 656e 7469 6361 7465 3a20 4261 7369 thenticate: Basi  
112: 6320 7265 616c 6d3d 2253 7175 6964 2070 c realm="Squid p  
128: 726f 7879 2d63 6163 6869 6e67 2077 6562 roxy-caching web  
144: 2073 6572 7665 7222 0d0a 436f 6e74 656e server"..Conten  
160: 742d 7479 7065 3a20 7465 7874 2f68 746d t-type: text/htm  
176: 6c0d 0a0d 0a3c 5449 544c 453e 4361 6368 l...<TITLE>Cach  
192: 6520 4163 6365 7373 2044 656e 6965 643c e Access Denied<  
208: 2f54 4954 4c45 3e0a 3c48 323e 4361 6368 /TITLE>.<H2>Cach  
224: 6520 4163 6365 7373 2044 656e 6965 643c e Access Denied<  
240: 2f48 323e 0a3c 503e 0a53 6f72 7279 2c20 /H2>.<P>.Sorry,  
256: 796f 7520 6172 6520 6e6f 7420 6375 7272 you are not curr  
272: 656e 746c 7920 616c 6c6f 7765 6420 746f ently allowed to  
288: 2072 6571 7565 7374 3a0a 3c50 5245 3e20 request:.<PRE>  
304: 2020 2068 7474 703a 2f2f 7777 772e 6f70 http://www.op  
320: 656e 3234 2e63 6f6d 2e61 722f 6a75 6e6b en24.com.ar/junk  
336: 2e68 746d 6c3c 2f50 5245 3e0a 6672 6f6d .html</PRE>.from  
352: 2074 6869 7320 6361 6368 6520 756e 7469 this cache unti  
368: 6c20 796f 7520 6861 7665 2061 7574 6865 l you have authe  
384: 6e74 6963 6174 6564 2079 6f75 7273 656c nticated yoursel  
400: 662e 0a0a 3c70 3e59 6f75 206e 6565 6420 f...<p>You need  
416: 746f 2075 7365 204e 6574 7363 6170 6520 to use Netscape  
432: 7665 7273 696f 6e20 322e 3020 6f72 2067 version 2.0 or g  
448: 7265 6174 6572 2c20 6f72 204d 6963 726f reater, or Micro  
464: 736f 6674 2049 6e74 6572 6e65 7420 4578 soft Internet Ex  
480: 706c 6f72 6572 2033 2e30 0a6f 7220 616e plorer 3.0.or an  
496: 2048 5454 502f 312e 3120 636f 6d70 6c69 HTTP/1.1 compli  
512: 616e 7420 6272 6f77 7365 7220 666f 7220 ant browser for  
528: 7468 6973 2074 6f20 776f 726b 2e0a 506c this to work..Pl  
544: 6561 7365 2063 6f6e 7461 6374 2074 6865 ease contact the  
560: 203c 6120 6872 6566 3d22 6d61 696c 746f <a href="mailto:  
576: 3a77 6562 6d61 7374 6572 223e 6361 6368 :webmaster">cach  
592: 6520 6164 6d69 6e69 7374 7261 746f 723c e administrator<  
608: 2f61 3e0a 6966 2079 6f75 2068 6176 6520 /a>.if you have  
624: 6469 6666 6963 756c 7469 6573 2061 7574 difficulties aut  
640: 6865 6e74 6963 6174 696e 6720 796f 7572 henticating your  
656: 7365 6c66 2c20 6f72 0a3c 6120 6872 6566 self, or.<a href  
672: 3d22 6874 7470 3a2f 2f6b 6c65 652e 7579 ="http://klee.uy  
688: 722e 636f 6d2e 6172 2f63 6769 2d62 696e r.com.ar/cgi-bin  
704: 2f63 6870 6173 7377 642e 6367 6922 3e63 /chpasswd.cgi">c  
720: 6861 6e67 653c 2f61 3e0a 796f 7572 2064 hange</a>.your d  
736: 6566 6175 6c74 2070 6173 7377 6f72 642e efault password.  
752: 0a3c 503e 0a0a 3c48 523e 0a3c 4144 4452 .<P>..<HR>.<ADDR  
768: 4553 533e 0a47 656e 6572 6174 6564 2062 ESS>.Generated b  
784: 7920 7371 7569 642f 312e 312e 3137 406b y squid/1.1.17@p  
800: 6c65 652e 7579 722e 636f 6d2e 6172 0a3c roxy.edu.ar. <  
816: 2f41 4444 5245 5353 3e0a /ADDRESS>.
```

proxy.edu.ar -> client.edu.ar ETHER Type=0800 (IP), size = 54 bytes
proxy.edu.ar -> client.edu.ar IP D=200.0.253.244 S=200.0.253.196 LEN=40, ID=17557
proxy.edu.ar -> client.edu.ar TCP D=1105 S=3128 Fin Ack=2013567 Seq=1612010046 Len=0
Win=8760

```
0: 00c0 490a 587b 0000 c01d a879 0800 4500 ..I.X{....y..E.  
16: 0028 4495 4000 ff06 ab7f c800 fdc4 c800 .(D.@.....  
32: fdf4 0c38 0451 6015 523e 001e b97f 5011 ...8.Q`.R>....P.  
48: 2238 8566 0000 "8.f..
```

client.edu.ar -> proxy.edu.ar ETHER Type=0800 (IP), size = 60 bytes
client.edu.ar -> proxy.edu.ar IP D=200.0.253.196 S=200.0.253.244 LEN=40, ID=2823
client.edu.ar -> proxy.edu.ar TCP D=3128 S=1105 Ack=1612010047 Seq=2013567 Len=0
Win=7988

```
0: 0000 c01d a879 00c0 490a 587b 0800 4500 .....y..I.X{..E.  
16: 0028 0b07 4000 1f06 c50e c800 fdf4 c800 .(..@.....  
32: fdc4 0451 0c38 001e b97f 6015 523f 5010 ...Q.8....`R?P.  
48: 1f34 886a 0000 0000 0000 0000 .....4.j.....
```

client.edu.ar -> proxy.edu.ar ETHER Type=0800 (IP), size = 60 bytes
client.edu.ar -> proxy.edu.ar IP D=200.0.253.196 S=200.0.253.244 LEN=40, ID=3079
client.edu.ar -> proxy.edu.ar TCP D=3128 S=1105 Rst Seq=2013567 Len=0 Win=0

```
0: 0000 c01d a879 00c0 490a 587b 0800 4500 .....y..I.X{..E.  
16: 0028 0c07 4000 1f06 c40e c800 fdf4 c800 .(..@.....  
32: fdc4 0451 0c38 001e b97f 6015 523f 5004 ...Q.8....`R?P.  
48: 0000 a7aa 0000 0000 0000 0000 .....4.j.....
```

client.edu.ar -> proxy.edu.ar ETHER Type=0800 (IP), size = 60 bytes
client.edu.ar -> proxy.edu.ar IP D=200.0.253.196 S=200.0.253.244 LEN=44, ID=3335
client.edu.ar -> proxy.edu.ar TCP D=3128 S=1106 Syn Seq=2022556 Len=0 Win=8192

```
0: 0000 c01d a879 00c0 490a 587b 0800 4500 .....y..I.X{..E.  
16: 002c 0d07 4000 1f06 c30a c800 fdf4 c800 .,..@.....  
32: fdc4 0452 0c38 001e dc9c 0000 0000 6002 ...R.8....`.  
48: 2000 ff26 0000 0204 05b4 0000 ..&.....
```

proxy.edu.ar -> client.edu.ar ETHER Type=0800 (IP), size = 58 bytes
proxy.edu.ar -> client.edu.ar IP D=200.0.253.244 S=200.0.253.196 LEN=44, ID=17558
proxy.edu.ar -> client.edu.ar TCP D=1106 S=3128 Syn Ack=2022557 Seq=1613189344 Len=0
Win=8760

```
0: 00c0 490a 587b 0000 c01d a879 0800 4500 ..I.X{....y..E.  
16: 002c 4496 4000 ff06 ab7a c800 fdc4 c800 .,D.@....z.....  
32: fdf4 0c38 0452 6027 50e0 001e dc9d 6012 ...8.R`'P.....`.  
48: 2238 4bd6 0000 0204 05b4 .....8K.....
```

client.edu.ar -> proxy.edu.ar ETHER Type=0800 (IP), size = 60 bytes
client.edu.ar -> proxy.edu.ar IP D=200.0.253.196 S=200.0.253.244 LEN=40, ID=3591
client.edu.ar -> proxy.edu.ar TCP D=3128 S=1106 Ack=1613189345 Seq=2022557 Len=0
Win=8760

```
0: 0000 c01d a879 00c0 490a 587b 0800 4500 .....y..I.X{..E.  
16: 0028 0e07 4000 1f06 c20e c800 fdf4 c800 .(..@.....  
32: fdc4 0452 0c38 001e dc9d 6027 50e1 5010 ...R.8....`'P.P.  
48: 2238 6393 0000 0000 0000 0000 .....8c.....
```

client.edu.ar -> proxy.edu.ar ETHER Type=0800 (IP), size = 385 bytes
client.edu.ar -> proxy.edu.ar IP D=200.0.253.196 S=200.0.253.244 LEN=371, ID=3847
client.edu.ar -> proxy.edu.ar TCP D=3128 S=1106 Ack=1613189345 Seq=2022557 Len=331
Win=8760

```
0: 0000 c01d a879 00c0 490a 587b 0800 4500 .....y..I.X{..E.  
16: 0173 0f07 4000 1f06 bfc3 c800 fdf4 c800 .s..@.....  
32: fdc4 0452 0c38 001e dc9d 6027 50e1 5018 ...R.8....`'P.P.  
48: 2238 b9d0 0000 4745 5420 6874 7470 3a2f "8....GET http:/  
64: 2f77 7777 2e6f 7065 6e32 342e 636f 6d2e /www.open24.com.  
80: 6172 2f6a 756e 6b2e 6874 6d6c 2048 5454 ar/junk.html HT  
96: 502f 312e 300d 0a50 726f 7879 2d43 6f6e P/1.0..Proxy-Con  
112: 6e65 6374 696f 6e3a 204b 6565 702d 416c nection: Keep-Al
```

```

128: 6976 650d 0a55 7365 722d 4167 656e 743a
144: 204d 6f7a 696c 6c61 2f34 2e30 3420 5b65
160: 6e5d 2028 5769 6e39 353b 2049 290d 0a48
176: 6f73 743a 2077 7777 2e6f 7065 6e32 342e
192: 636f 6d2e 6172 0d0a 4163 6365 7074 3a20
208: 696d 6167 652f 6769 662c 2069 6d61 6765
224: 2f78 2d78 6269 746d 6170 2c20 696d 6167
240: 652f 6a70 6567 2c20 696d 6167 652f 706a
256: 7065 672c 2069 6d61 6765 2f70 6e67 2c20
272: 2a2f 2a0d 0a41 6363 6570 742d 4c61 6e67
288: 7561 6765 3a20 656e 0d0a 4163 6365 7074
304: 2d43 6861 7273 6574 3a20 6973 6f2d 3838
320: 3539 2d31 2c2a 2c75 7466 2d38 0d0a 5072
336: 6f78 792d 6175 7468 6f72 697a 6174 696f
352: 6e3a 2042 6173 6963 2059 584a 7662 5746
368: 754f 6a4d 784d 6a68 4259 3245 3d0d 0a0d
384: 0aea

```

```

ive..User-Agent:
Mozilla/4.04 [e
n] (Win95; I)..H
ost: www.open24.
com.ar..Accept:
image/gif, image
/x-bitmap, image
e/jpeg, image/pj
peg, image/png,
/*..Accept-Lang
uage: en..Accept
-Charset: iso-88
59-1,*utf-8..Pr
oxy-authorization: Basic YXJvbWV
uOjMxMjhBY2E=...
.

```

```

proxy.edu.ar -> client.edu.ar ETHER Type=0800 (IP), size = 429 bytes
proxy.edu.ar -> client.edu.ar IP D=200.0.253.244 S=200.0.253.196 LEN=415, ID=17559
proxy.edu.ar -> client.edu.ar TCP D=1106 S=3128 Ack=2022888 Seq=1613189345 Len=375
Win=8760

```

```

0: 00c0 490a 587b 0000 c01d a879 0800 4500 ..I.X{.....y..E.
16: 019f 4497 4000 ff06 aa06 c800 fdc4 c800 ..D.@.....
32: fdf4 0c38 0452 6027 50e1 001e dde8 5018 ...8.R`P....P.
48: 2238 f8ca 0000 4854 5450 2f31 2e31 2032 "8ø...HTTP/1.1 2
64: 3030 204f 4b0d 0a44 6174 653a 2053 756e 00 OK..Date: Sun
80: 2c20 3331 204d 6179 2031 3939 3820 3139 , 31 May 1998 19
96: 3a34 383a 3430 2047 4d54 0d0a 5365 7276 :48:40 GMT..Serv
112: 6572 3a20 4170 6163 6865 2f31 2e32 2e30 er: Apache/1.2.0
128: 2042 656e 2d53 534c 2f31 2e38 0d0a 4c61 Ben-SSL/1.8..La
144: 7374 2d4d 6f64 6966 6965 643a 2053 756e st-Modified: Sun
160: 2c20 3331 204d 6179 2031 3939 3820 3139 , 31 May 1998 19
176: 3a34 373a 3534 2047 4d54 0d0a 4554 6167 :47:54 GMT..ETag
192: 3a20 2265 6433 342d 3765 2d33 3537 3162 : "ed34-7e-3571b
208: 3365 6122 0d0a 436f 6e74 656e 742d 4c65 3ea"..Content-Le
224: 6e67 7468 3a20 3132 360d 0a41 6363 6570 ngth: 126..Accep
240: 742d 5261 6e67 6573 3a20 6279 7465 730d t-Ranges: bytes.
256: 0a43 6f6e 6e65 6374 696f 6e3a 2063 6c6f .Connection: clo
272: 7365 0d0a 436f 6e74 656e 742d 5479 7065 se..Content-Type
288: 3a20 7465 7874 2f68 746d 6c0d 0a0d 0a3c : text/html....<
304: 4345 4e54 4552 3e3c 4832 3e50 4147 494e CENTER><H2>PAGIN
320: 4120 5041 5241 2050 5255 4542 4153 3c2f A PARA PRUEBAS</
336: 4832 3e3c 2f43 454e 5445 523e 0a3c 696d H2></CENTER>.<im
352: 6720 7372 633d 2268 7474 703a 2f2f 7777 g src="http://ww
368: 772e 6669 2e75 6261 2e61 722f 696d 6167 w.fi.uba.ar/imag
384: 6573 2f66 6975 6261 6c67 2e67 6966 2220 es/fiubalg.gif"
400: 616c 743d 224c 6f67 6f20 4649 5542 4122 alt="Logo FIUBA"
416: 2062 6f72 6465 723d 2230 223e 0a2f border="0">.

```

```

proxy.edu.ar -> client.edu.ar ETHER Type=0800 (IP), size = 54 bytes
proxy.edu.ar -> client.edu.ar IP D=200.0.253.244 S=200.0.253.196 LEN=40, ID=17560
proxy.edu.ar -> client.edu.ar TCP D=1106 S=3128 Fin Ack=2022888 Seq=1613189720 Len=0
Win=8760

```

```

0: 00c0 490a 587b 0000 c01d a879 0800 4500 ..I.X{.....y..E.
16: 0028 4498 4000 ff06 ab7c c800 fdc4 c800 .(D.@....|.....
32: fdf4 0c38 0452 6027 5258 001e dde8 5011 ...8.R`RX....P.
48: 2238 60d0 0000 "8`...

```

client.edu.ar -> proxy.edu.ar ETHER Type=0800 (IP), size = 60 bytes
client.edu.ar -> proxy.edu.ar IP D=200.0.253.196 S=200.0.253.244 LEN=40, ID=4103
client.edu.ar -> proxy.edu.ar TCP D=3128 S=1106 Ack=1613189721 Seq=2022888 Len=0
Win=8385

0: 0000 c01d a879 00c0 490a 587b 0800 4500y..I.X{..E.
16: 0028 1007 4000 1f06 c00e c800 fdf4 c800 ..(@.....
32: fdc4 0452 0c38 001e dde8 6027 5259 5010 ...R.8....`'RYP.
48: 20c1 6247 0000 0000 0000 0000 .bG.....

client.edu.ar -> proxy.edu.ar ETHER Type=0800 (IP), size = 60 bytes
client.edu.ar -> proxy.edu.ar IP D=200.0.253.196 S=200.0.253.244 LEN=44, ID=4359
client.edu.ar -> proxy.edu.ar TCP D=3128 S=1107 Syn Seq=2023233 Len=0 Win=8192

0: 0000 c01d a879 00c0 490a 587b 0800 4500y..I.X{..E.
16: 002c 1107 4000 1f06 bf0a c800 fdf4 c800 ...@.....
32: fdc4 0453 0c38 001e df41 0000 0000 6002 ...S.8...A....`.
48: 2000 fc80 0000 0204 05b4 0000 .ü.....

proxy.edu.ar -> client.edu.ar ETHER Type=0800 (IP), size = 58 bytes
proxy.edu.ar -> client.edu.ar IP D=200.0.253.244 S=200.0.253.196 LEN=44, ID=17561
proxy.edu.ar -> client.edu.ar TCP D=1107 S=3128 Syn Ack=2023234 Seq=1613543977 Len=0
Win=8760

0: 00c0 490a 587b 0000 c01d a879 0800 4500 ..I.X{.....y..E.
16: 002c 4499 4000 ff06 ab77 c800 fdc4 c800 ..,D.@....w.....
32: fdf4 0c38 0453 602c ba29 001e df42 6012 ...8.S`,.)...B`.
48: 2238 dfel 0000 0204 05b4 "8.....

client.edu.ar -> proxy.edu.ar ETHER Type=0800 (IP), size = 60 bytes
client.edu.ar -> proxy.edu.ar IP D=200.0.253.196 S=200.0.253.244 LEN=40, ID=4615
client.edu.ar -> proxy.edu.ar TCP D=3128 S=1106 Fin Ack=1613189721 Seq=2022888 Len=0
Win=8385

0: 0000 c01d a879 00c0 490a 587b 0800 4500y..I.X{..E.
16: 0028 1207 4000 1f06 be0e c800 fdf4 c800 ..(@.....
32: fdc4 0452 0c38 001e dde8 6027 5259 5011 ...R.8....`'RYP.
48: 20c1 6246 0000 0000 0000 0000 .bF.....

proxy.edu.ar -> client.edu.ar ETHER Type=0800 (IP), size = 54 bytes
proxy.edu.ar -> client.edu.ar IP D=200.0.253.244 S=200.0.253.196 LEN=40, ID=17562
proxy.edu.ar -> client.edu.ar TCP D=1106 S=3128 Ack=2022889 Seq=1613189721 Len=0
Win=8760

0: 00c0 490a 587b 0000 c01d a879 0800 4500 ..I.X{.....y..E.
16: 0028 449a 4000 ff06 ab7a c800 fdc4 c800 ..(D.@....z.....
32: fdf4 0c38 0452 6027 5259 001e dde9 5010 ...8.R`'RY....P.
48: 2238 60cf 0000 "8`...

client.edu.ar -> proxy.edu.ar ETHER Type=0800 (IP), size = 60 bytes
client.edu.ar -> proxy.edu.ar IP D=200.0.253.196 S=200.0.253.244 LEN=40, ID=4871
client.edu.ar -> proxy.edu.ar TCP D=3128 S=1107 Ack=1613543978 Seq=2023234 Len=0
Win=8760

0: 0000 c01d a879 00c0 490a 587b 0800 4500y..I.X{..E.
16: 0028 1307 4000 1f06 bd0e c800 fdf4 c800 ..(@.....
32: fdc4 0453 0c38 001e df42 602c ba2a 5010 ...S.8...B`,.*P.
48: 2238 f79e 0000 0000 0000 0000 "8+.....

client.edu.ar -> proxy.edu.ar ETHER Type=0800 (IP), size = 425 bytes
client.edu.ar -> proxy.edu.ar IP D=200.0.253.196 S=200.0.253.244 LEN=411, ID=5127
client.edu.ar -> proxy.edu.ar TCP D=3128 S=1107 Ack=1613543978 Seq=2023234 Len=371
Win=8760

```
0: 0000 c01d a879 00c0 490a 587b 0800 4500 .....y..I.X{..E.  
16: 019b 1407 4000 1f06 ba9b c800 fdf4 c800 ....@.....  
32: fdc4 0453 0c38 001e df42 602c ba2a 5018 ...S.8...B`,*P.  
48: 2238 ceff 0000 4745 5420 6874 7470 3a2f "8...GET http:/  
64: 2f77 7777 2e66 692e 7562 612e 6172 2f69 /www.fi.uba.ar/i  
80: 6d61 6765 732f 6669 7562 616c 672e 6769 mages/fiubalg.gi  
96: 6620 4854 5450 2f31 2e30 0d0a 5265 6665 f HTTP/1.0..Refe  
112: 7265 723a 2068 7474 703a 2f2f 7777 772e rer: http://www.  
128: 6f70 656e 3234 2e63 6f6d 2e61 722f 6a75 open24.com.ar/ju  
144: 6e6b 2e68 746d 6c0d 0a50 726f 7879 2d43 nk.html..Proxy-C  
160: 6f6e 6e65 6374 696f 6e3a 204b 6565 702d onnection: Keep-  
176: 416c 6976 650d 0a55 7365 722d 4167 656e Alive..User-Agen  
192: 743a 204d 6f7a 696c 6c61 2f34 2e30 3420 t: Mozilla/4.04  
208: 5b65 6e5d 2028 5769 6e39 353b 2049 290d [en] (Win95; I).  
224: 0a48 6f73 743a 2077 7777 2e66 692e 7562 .Host: www.fi.ub  
240: 612e 6172 0d0a 4163 6365 7074 3a20 696d a.ar..Accept: im  
256: 6167 652f 6769 662c 2069 6d61 6765 2f78 age/gif, image/x  
272: 2d78 6269 746d 6170 2c20 696d 6167 652f -xbitmap, image/  
288: 6a70 6567 2c20 696d 6167 652f 706a 7065 jpeg, image/pjpe  
304: 6720 696d 6167 652f 706e 670d 0a41 6363 g image/png..Acc  
320: 6570 742d 4c61 6e67 7561 6765 3a20 656e ept-Language: en  
336: 0d0a 4163 6365 7074 2d43 6861 7273 6574 ..Accept-Charset  
352: 3a20 6973 6f2d 3838 3539 2d31 2c2a 2c75 : iso-8859-1,* ,u  
368: 7466 2d38 0d0a 5072 6f78 792d 6175 7468 tf-8..Proxy-auth  
384: 6f72 697a 6174 696f 6e3a 2042 6173 6963 orization: Basic  
400: 2059 584a 7662 5746 754f 6a4d 784d 6a68 YXJvbWVfUjMjMjMj  
416: 4259 3245 3d0d 0a0d 0a44 BY2E=....
```

proxy.edu.ar -> client.edu.ar ETHER Type=0800 (IP), size = 1514 bytes
proxy.edu.ar -> client.edu.ar IP D=200.0.253.244 S=200.0.253.196 LEN=1500, ID=17563
proxy.edu.ar -> client.edu.ar TCP D=1107 S=3128 Ack=2023605 Seq=1613543978 Len=1460
Win=8760

```
0: 00c0 490a 587b 0000 c01d a879 0800 4500 ..I.X{.....y..E.  
16: 05dc 449b 4000 ff06 a5c5 c800 fdc4 c800 ..D.@.....  
32: fdf4 0c38 0453 602c ba2a 001e e0b5 5018 ...8.S`,*....P.  
48: 2238 ec76 0000 4854 5450 2f31 2e31 2032 "8.v..HTTP/1.1 2  
64: 3030 204f 4b0d 0a44 6174 653a 2053 756e 00 OK..Date: Sun  
80: 2c20 3331 204d 6179 2031 3939 3820 3232 , 31 May 1998 22  
96: 3a34 393a 3534 2047 4d54 0d0a 5365 7276 :49:54 GMT..Serv  
112: 6572 3a20 4170 6163 6865 2f31 2e33 6236 er: Apache/1.3b6  
128: 0d0a 4c61 7374 2d4d 6f64 6966 6965 643a ..Last-Modified:  
144: 2054 7565 2c20 3331 204d 6172 2031 3939 Tue, 31 Mar 199  
160: 3820 3031 3a32 323a 3430 2047 4d54 0d0a 8 01:22:40 GMT..  
176: 4554 6167 3a20 2234 3736 6434 2d61 3638 ETag: "476d4-a68  
192: 2d33 3532 3034 3536 3022 0d0a 436f 6e74 -35204560"..Cont  
208: 656e 742d 4c65 6e67 7468 3a20 3236 3634 ent-Length: 2664  
224: 0d0a 4163 6365 7074 2d52 616e 6765 733a ..Accept-Ranges:  
240: 2062 7974 6573 0d0a 436f 6e6e 6563 7469 bytes..Connecti  
256: 6f6e 3a20 636c 6f73 650d 0a43 6f6e 7465 on: close..Conte  
272: 6e74 2d54 7970 653a 2069 6d61 6765 2f67 nt-Type: image/g  
288: 6966 0d0a 0d0a 4749 4638 3761 5000 5100 if...GIF87aP.Q.  
304: f700 0004 0404 0f0f 0f0f 1a1a 1a0f 0f1a ÷.....  
320: 1a1a 2424 2444 1a1a 4f04 044f 0f0f 5a0f ..$$D..O..O..Z.  
336: 0f64 0f0f 7a04 047a 0f0f 8f04 048f 1a1a .d..z..z.....  
352: 9a04 049a 0f0f 9a2f 2f9a 4444 9a5a 5a9a .....//.DD.ZZ.  
368: 8484 a44f 4fa4 5a5a a464 64a4 6f6f a48f ...OO.ZZ.dd.oo..  
384: 8fa4 9a9a a4af afaf 1a1a af2f 2faf 3a3a .....//.::  
  
1472: d78a 0f34 70c0 00b4 0d59 2444 29fc 0452 ...4p....Y$D)ü.R  
1488: 0f35 60c5 c318 a821 b650 865e d846 4602 .5`....!P.^.FF.  
1504: 8f3d 4986 9247 3117 2217 .=I..G1."
```

client.edu.ar -> proxy.edu.ar ETHER Type=0800 (IP), size = 60 bytes
client.edu.ar -> proxy.edu.ar IP D=200.0.253.196 S=200.0.253.244 LEN=40, ID=5383
client.edu.ar -> proxy.edu.ar TCP D=3128 S=1107 Ack=1613545438 Seq=2023605 Len=0
Win=8760

```
0: 0000 c01d a879 00c0 490a 587b 0800 4500 .....y..I.X{...E.  
16: 0028 1507 4000 1f06 bb0e c800 fdf4 c800 .(...@.....  
32: fdc4 0453 0c38 001e e0b5 602c bfde 5010 ...S.8....`,...P.  
48: 2238 f077 0000 0000 0000 0000 "8.w.....
```

proxy.edu.ar -> client.edu.ar ETHER Type=0800 (IP), size = 1498 bytes
proxy.edu.ar -> client.edu.ar IP D=200.0.253.244 S=200.0.253.196 LEN=1484, ID=17564
proxy.edu.ar -> client.edu.ar TCP D=1107 S=3128 Fin Ack=2023605 Seq=1613545438 Len=1444
Win=8760

```
0: 00c0 490a 587b 0000 c01d a879 0800 4500 ..I.X{.....y..E.  
16: 05cc 449c 4000 ff06 a5d4 c800 fdc4 c800 ..D.@.....  
32: fdf4 0c38 0453 602c bfde 001e e0b5 5011 ...8.S`,.....P.  
48: 2238 c506 0000 5dac 809e 0c27 2401 0517 "8....]....'$...  
1472: 8c2e 1e04 a230 8614 267a 43a9 65e0 a569 .....0..&zC.e..i  
1488: 9269 95ed f7cb 0101 003b .i..+....;
```

client.edu.ar -> proxy.edu.ar ETHER Type=0800 (IP), size = 60 bytes
client.edu.ar -> proxy.edu.ar IP D=200.0.253.196 S=200.0.253.244 LEN=40, ID=5639
client.edu.ar -> proxy.edu.ar TCP D=3128 S=1107 Ack=1613546883 Seq=2023605 Len=0
Win=7316

```
0: 0000 c01d a879 00c0 490a 587b 0800 4500 .....y..I.X{...E.  
16: 0028 1607 4000 1f06 ba0e c800 fdf4 c800 .(...@.....  
32: fdc4 0453 0c38 001e e0b5 602c c583 5010 ...S.8....`,...P.  
48: 1c94 f076 0000 0000 0000 0000 ...v.....
```

client.edu.ar -> proxy.edu.ar ETHER Type=0800 (IP), size = 60 bytes
client.edu.ar -> proxy.edu.ar IP D=200.0.253.196 S=200.0.253.244 LEN=40, ID=5895
client.edu.ar -> proxy.edu.ar TCP D=3128 S=1107 Fin Ack=1613546883 Seq=2023605 Len=0
Win=7316

```
0: 0000 c01d a879 00c0 490a 587b 0800 4500 .....y..I.X{...E.  
16: 0028 1707 4000 1f06 b90e c800 fdf4 c800 .(...@.....  
32: fdc4 0453 0c38 001e e0b5 602c c583 5011 ...S.8....`,...P.  
48: 1c94 f075 0000 0000 0000 0000 ...u.....
```

proxy.edu.ar -> client.edu.ar ETHER Type=0800 (IP), size = 54 bytes
proxy.edu.ar -> client.edu.ar IP D=200.0.253.244 S=200.0.253.196 LEN=40, ID=17565
proxy.edu.ar -> client.edu.ar TCP D=1107 S=3128 Ack=2023606 Seq=1613546883 Len=0
Win=8760

```
0: 00c0 490a 587b 0000 c01d a879 0800 4500 ..I.X{.....y..E.  
16: 0028 449d 4000 ff06 ab77 c800 fdc4 c800 .(D.@....w.....  
32: fdf4 0c38 0453 602c c583 001e e0b6 5010 ...8.S`,.....P.  
48: 2238 ead1 0000 "8....
```